

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3	"09/989,910"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 09:11
S2	1	"09/990,216"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 12:30
S3	2	"09/937,120"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 12:53
S4	1	"09/990,001"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 14:31
S5	1	"20020120854".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 15:17
S6	612	(emulator\$1 or debugger\$1) and (unauthoriz\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 16:25
S7	51	(emulator\$1 or debugger\$1) same (unauthoriz\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 16:26
S8	23	(emulator\$1 or debugger\$1) with (unauthoriz\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 16:26
S9	33	(transfer\$4) with (archiv\$3) with (valid\$4 or authoriz\$4 or prevent\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 17:16
S10	1	(transfer\$4) with (archiv\$3) with (false adj data)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 17:17

S11	1	((transfer\$4) with (archiv\$3)) same (false adj data)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 17:18
S12	0	((transfer\$4) with (archiv\$3)) with ((authorized or valid) adj recipient)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 17:19
S13	16	((transfer\$4) with (archiv\$3)) with ((authorized or valid))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 17:33
S14	30	((transfer\$4) with (archiv\$3)) same ((authorized or valid))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 17:30
S15	14	S14 not S13	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 17:25
S16	1815	(transfer\$4) with (archiv\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 17:30
S17	20	((transfer\$4) with (archiv\$3)) with ((authoriz\$3 or valid\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 18:15
S18	4	S17 not S13	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 17:35
S19	34614	"713".CLAS. or "380".CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 17:35
S20	130	S16 and S19	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 17:36

S21	65	S20 and @ad<="20000922"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 17:36
S22	134	((transfer\$4) same (archiv\$3)) same ((authoriz\$3 or valid\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 18:41
S23	56	S22 and @ad<="20000922"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 18:25
S24	3	authentikat\$3 with archiver\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 18:26
S25	6	authentikat\$3 same archiver\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 18:26
S26	26	(encrypt\$3 with (transfer\$4) with (archiv\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 18:42
S28	6	mooney.in. and lane.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 09:14
S29	157	encrypt\$4 same archiv\$3 same transfer\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 09:15
S30	24	encrypt\$4 with archiv\$3 with transfer\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 09:24
S31	2	(archiv\$3 with video) with interleav\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 09:29

S32	3	(archiv\$3 with interleav\$4) same video	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 09:35
S33	100	archiv\$3 same (smart adj card\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 09:38
S34	24	archiv\$3 with (smart adj card\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 09:42
S35	165	mooney.in. and david.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 09:42
S36	1414	key\$1 with (scrambl\$3 or interleav\$3) with (content\$1 or data)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 10:28
S37	1367	380/200-210.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 10:25
S38	136	S36 and S37	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 10:26
S39	67	S38 and @ad<="20000922"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 10:54
S40	0	archiv\$3 with key\$1 with (scrambl\$3 or interleav\$3) with (content\$1 or data)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 10:29
S41	1	archiv\$3 same (key\$1 with (scrambl\$3 or interleav\$3) with (content\$1 or data))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 10:29

S42	91	archiv\$3 with encrypt\$3 with decrypt\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 10:57
S43	0	S37 and S42	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 10:55
S44	248	archiv\$3 same encrypt\$3 same decrypt\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 10:56
S45	0	S44 and S37	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 10:56
S46	395	archiv\$3 with encrypt\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 10:57
S47	1	S46 and S37	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 11:07
S48	1	"6236727".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 11:07